

# INDEX MAPS.

## T. 18 N, R. 8 W. 2<sup>nd</sup> Mer.

	224		223		223		223		223		222	
226	6	247	5	241	4	237	3	234	2	230	1	222
	247		247		241		237		233		229	
226	7	246	8	241	9	237	10	233	11	229	12	222
	246		246		240		236		233		229	
225	18	245	17	240	16	236	15	232	14	228	13	221
	245		244		240		236		232		228	
225	19	244	20	239	21	235	22	232	23	228	24	221
	244		243		239		235		231		227	
225	30	243	29	239	28	235	27	231	26	227	25	221
	243		242		238		234		231		227	
224	31	242	32	238	33	234	34	230	35	226	36	220
	220		220		219		219		219		219	

## T. 19 N, R. 8 W. 2<sup>nd</sup> Mer.

	256		255		255		255		255		254
257	6	282	5	275	4	271	3	267	2	262	1 254
	281		281		275		271		266		262
257	7	280	8	275	9	270	10	266	11	261	12 254
	280		280		274		270		265		261
257	18	279	17	274	16	270	15	265	14	260	13 253
	279		278		273		269		265		260
257	19	278	20	273	21	269	22	264	23	259	24 253
	278		277		273		269		264		259
256	30	277	29	272	28	268	27	263	26	259	25 253
	276		276		272		267		263		258
256	31	276	32	271	33	267	34	262	35	258	36 253
	252		252		252		257		251		251

The figures on the lines refer to the page.

Township N. 18 North, Range N. 8 West 2. Mer. Indiana.

Township Lines.

Ch. & L. South Boundary. Var. 7.00. E.

West on the S. Boundary of Sec. 36

40.00 set of sec. port from which

a Beech 18 in. dia. bears N 87 E 17 1/2 W. dist. 8

a Do 14 " " " S 87 W 31 " "

80.00 set port cor. of sec. 35 & 36 from which

a Hickory 11 in. dia. bears East 16 1/2 W. dist. 8

a Beech 6 " " " S 59 W 14 " "

Land level 2. rate, part wet, middling for farming

West on the S. Boundary of Sec. 35

40.00 set of sec. port from which

a Beech 8 in. dia. bears N 15 E 10 W. dist. 8

a Do 8 " " " S 12 E 11 " "

55.00 a Brook 8 W. wide course S.

80.00 set port cor. of sec. 34 & 35 from which

a Beech 8 in. dia. bears S 64 E 5 W. dist. 8

a Do 7 " " " West 11 " "

Land level 2. rate, timber Beech, Sugar &  
Good farming land

West on the S. Boundary of Sec. 34

August 7. 1819

40.00 set of sec. port from which

a Beech 4 in. dia. bears S 70 E 14 W. dist. 8

a Do 9 " " " S 34 W 23 " "

79.00 a Brook 15 W. wide course S.

80.00 set port cor. of sec. 33 & 34 from which

a Sugar 10 in. dia. bears S 87 E 14 W. dist. 8

a W. Oak 48 " " " N 80 W 19 " "

Land level, rather wet, timber Beech, Sugar,  
Ash, Elm, Sycamore &

West on the S. Boundary of Sec. 33

40.00 set of sec. port from which

## T. 18 N., R. 8 W. 2. Mer. Ind. a

Chs. 1st

a Beech 20 in. dia. bears N 49 E 18 W. dist. 8  
 a Do 12 " " " N 73 W 22 " "  
 80.00 set port cor. of sec. 32 & 33 from which  
 an Ironwood 9 in. dia. bears S 72 E 19 W. dist. 8  
 a Do 4 " " " N 24 W 13 " "  
 Land similar

West on the S. Boundary of Sec. 32

28.00 a Brook 10 W. wide course N.

40.00 set gr. sec. port from which

a W. Oak 14 in. dia. bears N 65 E 10 W. dist. 8

a Sugar 12 " " " S 40 W 8 " "

00.00 a creek 50 W. wide course SE

80.00 set port cor. of sec. 31 &amp; 32 from which

an Elm 9 in. dia. bears N 73 W 10 W. dist. 8

a Lynn 6 " " " S 48 E 22 " "

Land part rolling & part broken, good soil,  
timber same as last described.

West on the S. Boundary of Sec. 31

40.00 set gr. sec. port from which

a B. Ash 9 in. dia. bears N 46 E 19 W. dist. 8

a Hickory 18 " " " S 18 E 24 " "

82.35 Intersect W. Boundary 14.00 Chs. S. of temp. port

set port at intersection cor. of T. 17 N. 18 N., R. 8 &amp; 9

W. from which

a Sugar 18 in. dia. bears N 60 E 25 W. dist. 8

a Do 10 " " " S 38 W 35 " "

Land 1<sup>st</sup> rateEast Boundary. Var. 7<sup>00</sup> E.

North on the E. Boundary of Sec. 36

September 13. 1819

40.00 set gr. sec. port from which

an Elm 14 in. dia. bears S 80 W 14 W. dist. 8

a Beech 9 " " " N 47 E 5 " "

## T. 18 N., R. 8 W. 2. Mer. Ind. a

Ch. Sp.

80.00 set post cor. of sec. 25 & 36 from which  
 a Sugar 12 in. dia. bears S 53° W 5 1/2 hrs. dist. &  
 a Do 10 " " " N 15° E 9 " "  
 Land level & rather wet, timber Beech,  
 Sugar, Oak, Hickory, Elm. I. rate, midd-  
 ling good farming land.

## North on the E. Boundary of Sec. 25

10.00 a Brook 6 hrs. wide course W

20.00 a Do 10 " " " W

40.00 set of sec. post from which

a W. Ash 7 in. dia. bears S 5° W 8 1/2 hrs. dist. &amp;

a Hickory 18 " " " N 9° E 12 " "

72.00 a Brook 6 hrs. wide course W.

80.00 set post cor. of sec. 24 &amp; 25 from which

a Sugar 10 in. dia. bears S 44° E 2 1/2 hrs. dist. &amp;

a S. Oak 30 " " " N 66° W 20 " "

Land level, timber same, middling  
 good farming land

## North on the E. Boundary of Sec. 24

7.50 a Brook 12 hrs. wide course W.

40.00 set of sec. post from which

a Beech 12 in. dia. bears N 51° W 4 3/4 hrs. dist. &amp;

a Do 18 " " " S 21° E 18 " "

80.00 set post cor. of sec. 13 &amp; 24 from which

a Sugar 2 1/2 in. dia. bears S 41° W 8 hrs. dist. &amp;

a Do 15 " " " N 46° W 16 " "

Land level, part wet, timber same

## North on the E. Boundary of Sec. 13

2.50 a Brook 14 hrs. wide course W

40.00 set of sec. post from which

a Beech 18 in. dia. bears S 8° E 5 1/2 hrs. dist. &amp;

a Do 9 " " " N 57° W 39 " "

44.50 a Brook 10 hrs. wide course W.



## T. 18 N., R. 8 W. 2. Mer. Ind. a

Ch. Sp.

80.00 set post cor. of sec. 12 & 13 from which  
 a Beech 18 in. dis. bears N 75° W 25 lbs. dist. 8  
 a Buckeye 9 " " " N 85° E 45 " "  
 Land same, middling farming land.

## North on the E. Boundary of Sec. 12

40.00 set q. sec. post from which  
 a Beech 10 in. dis. bears N 86° E 36 lbs. dist. 8  
 a Hickory 9 " " " N 71° E 7 " "  
 44.00 a Brook 30 lbs. wide course NW  
 80.00 set post cor. of sec. 14 & 12 from which  
 a Beech 10 in. dis. bears S 77° E 5 lbs. dist. 8  
 a Sugar 11 " " " N 59° W 10 " "  
 South 1/2 mile rich & good for farming, N 1/2  
 mile rather wet

## North on the E. Boundary of Sec. 1

40.00 set q. sec. post from which  
 a B. Ash 9 in. dis. bears N 74° E 19 lbs. dist. 8  
 a W. Ash 9 " " " N 28° W 12 " "  
 70.00 a Brook 10 lbs. wide course NW  
 80.00 set temp. Township corner post.  
 Land level & wet, timber Oak, Beech,  
 Hickory, Elm, Ash

## North Boundary, Var. 7.00' E.

## West on the S. Boundary of T. 36, R. 19, N. R. 8 W

20.00 a Brook 15 lbs. wide course NW  
 40.00 set q. sec. post from which  
 a C. Oak 9 in. dis. bears S 16° E 23 lbs. dist. 8  
 a Buckeye 8 " " " N 13° W 8 " "  
 72.00 a Creek 40 lbs. wide course SW  
 80.00 set post cor. of sec. 35 & 36 from which  
 a Buckeye 9 in. dis. bears S 42° W 4 lbs. dist. 8  
 a Do 12 " " " N 85° E 19 " "  
 Land similar, West 1/2 mile good farm-

T. 18 N., R. 8 W. 2<sup>d</sup> Mer. Ind<sup>a</sup>.  
Ch<sup>a</sup>. Ind.

ing land

West on the S. Boundary of Sec. 35, T19 N, R8 W

13.00 a Creek 40 lbs. wide course NW

20.00 same Creek " SW

40.00 set g. sec. part from which

a W. Oak 40 in. diam bears N20 E 16 lbs. dist. 8

a Sugar 9 " " " S58 W 12 " "

65.00 same Creek course NW

80.00 set part cor. of sec. 34 & 35 from which

a Sugar 9 in. diam bears N21 E 5 lbs. dist. 8

a Do 9 " " " S47 W 57 " "

Land 2<sup>d</sup> rate, timber Oak, Beech, Sugar,  
Poplar & middling farming land

West on the S. Boundary of Sec. 34, T19 N, R8 W

17.00 same Creek course SW

40.00 set g. sec. part from which

a Beech 12 in. diam bears S51 E 48 lbs. dist. 8

a Do 12 " " " N45 W 1 " "

80.00 set part cor. of sec. 33 & 34 from which

a W. Ash 8 in. diam bears N59 E 14 lbs. dist. 8

a Beech 18 " " " S61 W 31 " "

Land similar, part wet & cold

West on the S. Boundary of Sec. 33, T19 N, R8 W

40.00 set g. sec. part from which

a Beech 18 in. diam bears S40 E 17 lbs. dist. 8

a Mulberry 10 " " " N80 W 30 " "

80.00 set part cor. of sec. 32 & 33 from which

a Hickory 18 in. diam bears N16 W 10 lbs. dist. 8

a Do 18 " " " S21 E 26 " "

Land 2<sup>d</sup> rate, middling good for farming  
timber same as last described

West on the S. Boundary of Sec. 32, T19 N, R8 W

T. 18 N., R. 8 W. 2<sup>d</sup> Mer. Ind.

Ch. Cr.

- 40.00 set g. sec. part from which  
 a W. Oak 30 in. diameter S 39 E 12 lbs. dirt &  
 a W. Ash 9 " " " N 11 W 23 " "
- 67.00 a Brook 8 lbs. wide course NW. & stone coal  
 bank
- 80.00 set part cor. of sec. 31 & 32 from which  
 a W. Oak 30 in. diameter N 50 W 25 lbs. dirt &  
 a Sh 27 " " " S 38 E 25 " "  
 Sand similar, part rather broken

West on the S. Boundary of Sec. 31, T 19 N, R 8 W  
 September 27, 1819

- 18.00 a creek 100 lbs. wide course SW
- 35.00 same creek " NW
- 40.00 set g. sec. part from which  
 a Sugar 30 in. diameter N 77 E 13 lbs. dirt &  
 a Sh 14 " " " S 28 W 25 " "
- 53.00 same creek course SW
- 75.00 a Brook 8 lbs. wide course SE
- 82.00 Intersect W. Boundary 517 lbs. S. of part—  
 set part at intersection cor. of S. 18 & 19 N, R. 8  
 & 9 W. from which  
 a Beech 11 in. diameter S 72 E 22 lbs. dirt &  
 a Sugar 10 " " " S 39 W 19 " "  
 Sand mostly 1<sup>st</sup> rate, West 1/2 broken.

West Boundary. Var. 6° 50' E.  
 North on the E. Boundary of Sec. 36, T 18 N, R 9 W  
 September 12, 1819

- 40.00 set g. sec. part from which  
 a Sugar 18 in. diameter S 47 E 19 lbs. dirt &  
 a S. Oak 9 " " " N 41 W 8 " "
- 61.00 a Brook 10 lbs. wide course NW
- 80.00 set part cor. of sec. 25 & 36 from which  
 a Beech 18 in. diameter S 57 W 13 lbs. dirt &  
 an Ironwood 4 " " " N 12 W 8 " "

T. 18 N., R. 8 W. 2. Mer. Ind.?

Ch. 1. Sk?

Land 2. rate, part rolling & part broken,  
timber Oak, Hickory, Sugar, Beech and some  
Walnut.

North on the E. Boundary of Sec. 25, T. 18 N., R. 9 W.

23.50 a Brook 10 lbs. wide course W

40.00 set gr. sec. part from which

a W. Oak 24 in. diameter S 87 E 30 lbs. dist. 3

a Beech 10 " " " S 10 W 22 " "

80.00 set part cor. of sec. 24 & 25 from which

a Beech 9 in. diameter N 60 W 8 lbs. dist. 3

a Do 24 " " " N 75 E 56 " "

Land similar, good farming land, rather  
broken.

North on the E. Boundary of Sec. 24, T. 18 N., R. 9 W.

36.00 a Brook 12 lbs. wide course W.

40.00 set gr. sec. part from which

a W. Oak 9 in. diameter S 77 W 15 lbs. dist. 3

a Beech 9 " " " N 8 E 19 " "

43.00 a Brook 6 lbs. wide course W

59.50 a Creek 30 lbs. " " W

80.00 set part cor. of sec. 13 & 24 from which

a S. Oak 30 in. diameter N 65 W 46 lbs. dist. 3

a B. Gum 24 " " " S 13 E 35 " "

Land similar

North on the E. Boundary of Sec. 13, T. 18 N., R. 9 W.

8.00 a Brook 15 lbs. wide course W

40.00 set gr. sec. part from which

a Beech 30 in. diameter S 47 E 13 lbs. dist. 3

a Buckeye 14 " " " N 83 W 47 " "

72.00 a Brook 3 lbs. wide course W

80.00 set part cor. of sec. 12 & 13 from which

a Beech 18 in. diameter S 21 E 27 lbs. dist. 3

a Do 9 " " " N 27 E 9 " "



## T. 18 N., R. 8 W. 2. Mer. Ind.

Ch. Ch.

South half mile T. 18 N. land, North half  
wet, part broken.

North on the E. Boundary of Sec. 12, T. 18 N., R. 8 W.

20.00 a Creek 60 yds. wide course W

40.00 set q. sec. post from which

a Buckeye 8 in. dia. bears N 19 E 5 yds. dist. 8

a Boxelder 12 " " S 22 E 26 " "

79.50 a Creek 100 yds. wide course SW.

80.00 set post in creek for cor. of sec. 12 & 12 from which

a Sugar 10 in. dia. bears S 42 E 69 yds. dist. 8

a Do 9 " " " N 69 E 83 " "

Land mostly first rate bottom

North on the E. Boundary of Sec. 1, T. 18 N., R. 8 W.

40.00 set q. sec. post from which

a W. Oak 30 in. dia. bears S 74 E 12 yds. dist. 8

a B. Gum 9 " " " N 40 W 43 " "

80.00 set temp. Township corner post.

North  $\frac{3}{4}$  mile very broken.

William Harris

Dep. Surveyor.

## Subdivision.

North between Sec. 35 & 36

July 31, 1820

17.02 a Beech 12 in. dia.

40.00 set q. sec. post from which

a Beech 8 in. dia. bears N 22 E 8 yds. dist. 8

a Do 15 " " " S 53 E 35 " "

62.95 an Elm 12 " "

80.00 set post cor. of sec. 25, 26, 35 & 36 from which

a Beech 12 in. dia. bears North 8 yds. dist. 8

a Do 20 " " " S 40 E 21 " "

Land level, 2<sup>d</sup> rate, rather inclined to be  
wet, timbered Beech, Elm, Ash, W. Oak &c.



T. 18 N., R. 8 W. 2<sup>d</sup> Mer. Ind.

Chs. Sk.

Ulp. Ash &

East in Random between Sec. 25 & 36

20.60 a Stream 7<sup>1</sup>/<sub>2</sub> M<sup>s</sup>. wide course NW

40.00 sit temp. of sec. post

79.34 Intersect E. Boundary 24 M<sup>s</sup>. N. of post

Level good 2<sup>d</sup> rate farming land, timber  
Beesh, Poplar, W. Oak, Sugar, Ulp. Beech &

West corrected between Sec. 25 & 36

39.67 sit of sec. post at aver. dist. from which  
an Ash 18 in. diam bears N 26° W 10 M<sup>s</sup>. dist. &

a Beech 10 " " " S 68° E 15 " "

79.34 to sec. cor.

North between Sec. 25 & 26 Aug. 1, 1820

9.12 a Lym 24 in. dia.

24.69 a Stream 15 M<sup>s</sup>. wide course NW

40.00 sit of sec. post from which

a Sugar 12 in. diam bears S 70° W 13 M<sup>s</sup>. dist. &

a Beech 15 " " " N 55° E 40 " "

53.70 a Stream 7 M<sup>s</sup>. wide course W.

64.90 a R. Oak 20 in. dia.

80.00 sit post cor. of sec. 23, 24, 25 & 26 from which

a Sugar 10 in. diam bears N 77° W 30 M<sup>s</sup>. dist. &

a Poplar 20 " " " S 51° E 34 " "

Level 2<sup>d</sup> rate good farming land, timber Poplar,  
Beech, Sugar, W. Oak & Ulp. Spice &

East in Random between Sec. 24 & 25

40.00 sit temp. of sec. post

44.00 a Stream 12 M<sup>s</sup>. wide course NW

73.90 a Ls 8 " " " S W

79.96 Intersect E. Boundary 100 M<sup>s</sup>. N. of post

Level good 2<sup>d</sup> rate farming land, timber  
Poplar, Beech, Sugar & Ulp. Spice &

T. 18 N., R. 8 W. 2<sup>d</sup> Mer. Ind<sup>a</sup>Chs. 10<sup>th</sup>

West Corrected between Sec. 24 &amp; 25

39.98 set q. sec. post at aver. dist. from which  
 a Beech 7 in. diam bears S 11 E 7 1/2 m. dist. 8  
 a Dr 12 " " " N 2 W 24 " "  
 79.96 to sec. cor.

North between Sec. 23 &amp; 24

6.00 a Stream 14 1/2 m. wide course W.  
 25.45 ~~set q. sec. post from which~~ a Beech 18 in. dia.  
 40.00 set q. sec. post from which  
 a Beech 12 in. diam bears N 82 W 5 1/2 m. dist. 8  
 a W. Oak 30 " " " N 70 E 14 " "  
 52.25 a Dr 36 " "  
 66.00 a Stream 12 1/2 m. wide course W.  
 80.00 set post cn. of sec. 13, 14, 23 & 24 from which  
 a Beech 18 in. diam bears S 5 W 9 1/2 m. dist. 8  
 a Sugar 18 " " " N 63 E 31 " "  
 Level good 2<sup>d</sup> rate farming land, timber Beech,  
 Sugar, Poplar, W. Oak & Upr. Spruce &c.

East on Random between Sec. 13 &amp; 24

40.00 set temp. q. sec. post  
 78.00 a Stream 8 1/2 m. wide course SW  
 79.56 Intersect E. Boundary 96 m. N. of post—  
 Land level 2<sup>d</sup> rate, timber Beech, Poplar, Sugar  
 W. Oak & Upr. Spruce &c.

West Corrected between Sec. 13 &amp; 24

39.78 set q. sec. post at aver. dist. from which  
 a Beech 18 in. diam bears N 78 E 20 m. dist. 8  
 a Poplar 40 " " " S 41 W 34 " "  
 79.56 to sec. cor.

North between Sec. 13 &amp; 14

12.95 a Beech 18 in. dia.  
 40.00 set q. sec. post from which

T. 18 N., R. 8 W. 2.<sup>d</sup> Mer. Ind.<sup>a</sup>

Ch. Sp?

a Beech 15 in. diam bears S 65 E 8 lbs. dist. 8

a Do 15 " " " S 73 W 32 " "

56.27 a W. Oak 18 " "

79.60 a Stream 25 lbs. wide course W

80.00 set port cor. of sec. 11, 12, 13 &amp; 14 from which

a Sugar 15 in. diam bears N 30 W 38 lbs. dist. 8

a Do 20 " " " S 74 E 50 " "

Level good 2<sup>d</sup> rate farming land, timber Beech,  
Sugar, Poplar & V. Upr. Spice &.

East on Random between Sec. 12 &amp; 13

14.25 a Stream 25 lbs. wide course SW

40.00 set temp. of sec. port

79.92 Intersect E. Boundary 94 lbs. N. of port

Level good 2<sup>d</sup> rate farming land, timber Beech,  
Hickory, Sugar, Poplar & V. Upr. Spice &.

West Connected between Sec. 12 &amp; 13

39.96 set of sec. port at aver. dist. from which

a Beech 12 in. diam bears N 8 E 7 lbs. dist. 8

a R. Oak 30 " " " S 8 W 44 " "

79.92 to sec. cor.

North between Sec. 11 &amp; 12

26.63 a W. Oak 18 in. diam.

40.00 set of sec. port from which

a Beech 12 in. diam bears N 81 E 34 lbs. dist. 8

an Ash 12 " " " N 61 W 37 " "

52.39 a R. Oak 24 " "

80.00 set port cor. of sec. 1, 2, 11 &amp; 12 from which

a W. Oak 20 in. diam bears S 69 W 23 lbs. dist. 8

a Lymn 7 " " " S 65 E 32 " "

Land level & inclined to be wet, timber Lymn,  
Rd W. Oak, Elm & V. Upr. Ash &.

East on Random between Sec. 11 &amp; 12

## T. 18 N., R. 8 W. 2. Mer. Ind.?

Ch. Pk.

40.00 set temp. gr. sec. port

80.00 Intersect E. Boundary 122 Ws. N. of port =  
 Sand level rich T. rate, timber Lym, Poplar,  
 B. Ash, W. Oak & Uls. Spice &c

## West Connected between Sec. 1 &amp; 2

40.00 set gr. sec. port at aver. dist. from which  
 a Lym 8 in. dia. bears N 8 W 11 Ws. dist. 8  
 a Do 18 " " " S 76 W 31 " "

80.00 to sec. cor.

## North between Sec. 1 &amp; 2

15.56 a W. Oak 20 in. dia.

40.00 set gr. sec. port from which  
 an Ash 18 in. dia. bears S 76 W 18 Ws. dist. 8  
 a Do 20 " " " N 64 E 24 " "

59.24 a W. Oak 15 " "

69.50 a Stream 40 Ws. wide course W

70.10 Intersect N. Boundary 122 Ws. N. of port =  
 set port at intersection cor. of sec. 1 & 2 from which  
 a Boxelder 9 in. dia. bears S 29 E 7 Ws. dist. 8  
 a Buckeye 6 " " " N 10 E 37 " "  
 Sand & timber the same as last described.

## North between Sec. 34 &amp; 35 August 2, 1820

14.44 an Elm 30 in. dia.

40.00 set gr. sec. port from which  
 an Ash 10 in. dia. bears N 5 W 21 Ws. dist. 8  
 a Beech 12 " " " S 40 E 25 " "

56.26 a Do 24 " "

80.00 set port cor. of sec. 26, 27, 34 & 35 from which  
 a Maple 15 in. dia. bears S 55 W 7 Ws. dist. 8  
 an Elm 20 " " " N 82 E 24 " "  
 Sand level 2 rate, timber Beech, Poplar,  
 Elm, Maple & Uls. B. Ash &c

T. 18 N., R. 8 W. 2<sup>d</sup>. Mer. Ind.

Chr. Elm

East on Random between Secs. 26 &amp; 35

40.00 cut temp. of sec. part

79.12 Intersect N &amp; S. line 50 W. S. of part

Level 2<sup>d</sup> rate rich & inclined to be wet

West Corrected between Secs. 26 &amp; 35

39.56 cut of sec. part at aver. dist. from which  
an Elm 20 in. dia. bears S 81 E 2 W. dist. 8

a Poplar 27 " " " N 33 W 27 " "

79.12 to sec. cor.

North between Secs. 26 &amp; 27

22.93 an Elm 20 in. dia.

40.00 cut of sec. part from which

a Beech 5 in. dia. bears N 75 W 11 W. dist. 8

a Poplar 18 " " " S 39 E 20 " "

53.92 a Hickory 24 in. dia.

80.00 cut part cor. of sec. 22, 23, 26 &amp; 27 from which

a Beech 10 in. dia. bears East 17 W. dist. 8

a Do 27 " " " N 73 W 30 " "

Sand level 2<sup>d</sup> rate, timber Elm, Beech,  
Poplar, Oak & Upr. Ash &c.

East on Random between Secs. 23 &amp; 26

40.00 cut temp. of sec. part

63.78 a Stream 20 W. wide course NW

79.00 Intersect N &amp; S. line at part

Level good farming land, timber Sugar, Ash,  
Beech, Poplar, Walnut & Upr. Spice &c.

West Corrected between Secs. 23 &amp; 26

39.50 cut of sec. part at aver. dist. from which

a Beech 18 in. dia. bears N 42 W 19 W. dist. 8

an Ash 30 " " " S 67 E 26 " "

79.00 to sec. cor.



T. 18 N., R. 8 W. 2<sup>d</sup> Mer. Ind.

Ch. Sk.

North between Sec. 22 &amp; 23

13.50 a Beech 10 in. dia.

35.00 a Stream 20 lbs. wide course NW

39.50 Do " NE

40.00 cut of sec. port from which

a Lycamore 12 in. dia bears N 3 E 11 lbs. dist. 8

an Ash 12 " " S 21 W 28 " "

41.50 a Stream 20 lbs. wide course W.

50.72 a Sugar 18 in. dia.

79.25 a Stream 25 lbs. wide course W.

80.00 cut port cor. of sec. 14, 15, 22 &amp; 23 from which

a Sugar 15 in. dia bears N 52 E 15 lbs. dist. 8

a Do 17 " " S 71 W 37 " "

Land level 2<sup>d</sup> rate, timber Beech, Sugar, Poplar4<sup>th</sup> Uly. Spice &c.

East on Random between Sec. 14 &amp; 23

40.00 cut temp. of sec. port

79.30 Intersect N &amp; S. line 10 lbs. S. of port.

Land level 2<sup>d</sup> rate, timber W. Oak, Hickory,

Poplar, Sugar &amp;c. Uly. Hornbeam &amp;c.

West Connected between Sec. 14 &amp; 23

39.05 cut of sec. port at aver. dist. from which

a Sugar 11 in. dia bears N 46 E 4 lbs. dist. 8

a W. Oak 24 " " S 23 E 47 " "

79.30 to sec. cor.

North between Sec. 14 &amp; 15

23.12 a Beech 18 in. dia.

30.00 a Stream 6 lbs. wide course NW

40.00 cut of sec. port from which

a Sugar 6 in. dia bears N 27 E 2 lbs. dist. 8

a Do 15 " " S 37 W 37 " "

57.00 a Stream 25 lbs. wide course NW

80.00 cut port cor. of sec. 10, 11, 14 &amp; 15 from which

T. 18 N., R. 8 W. 2. Mer. Ind.<sup>a</sup>

Chs. 1820

at W. Oak 20 in. diam bears S 22 E 60 Yds. dist. 8  
 a Sugar 10 " " " N 22 W 4 " "  
 Land level 2. rate, timber W. Oak, Sugar, Beech,  
 Ash & Upr. Hornbeam &c.

---

## East on Random between Sec. 11 &amp; 14

40.00 set temp. of sec. port

79.80 Intersect N. S. line 8 Yds. S. of port—

Land level 2. rate, timber W. Oak, Sugar,  
 Hickory, Beech & Upr. Spice &c.

---

## West Corrected between Sec. 11 &amp; 14

39.90 set of sec. port at aver. dist. from which

a Hickory 18 in. diam bears S 76 W 24 Yds. dist. 8

a Do 10 " " " N 66 W 42 " "

79.80 to sec. cor.

## North between Sec. 10 &amp; 11

15.67 at W. Oak 20 in. diam.

40.00 set of sec. port from which

a Sugar 18 in. diam bears N 60 E 11 Yds. dist. 8

a Do 12 " " " S 63 W 13 " "

54.20 at W. Oak 20 " "

80.00 set port cor. of sec. 2, 3, 10 &amp; 11 from which

a Lym. 18 in. diam bears N 64 E 33 Yds. dist. 8

an Elm 15 " " " N 40 W 31 " "

Level good farming land, 2. rate, timber  
 W. Oak, Hickory, Poplar, Ash &  
 Upr. Ash &c.

---

## East on Random between Sec. 2 &amp; 11

August 3, 1820

40.00 set temp. of sec. port

79.20 Intersect N. S. line 40 Yds. S. of port—

Land level 2. rate, timber R. W. Oak,  
 Hickory, Ash & Upr. Ash &c.

---

## T. 18 N., R. 8 W. 2. Mer. Ind.?

Ch. Lk.

West Cornered between Sec. 2 &amp; 11

39.60 lot of sec. port at aver. dist. from which  
 an Elm 18 in. dia. bears N 63° W 23 Mos. dist.  
 a Do 10 " " " S 66° E 19 " "  
 79.20 to sec. cor.

---

North between Sec. 2 &amp; 3

17.40 a Sugar 12 in. dia.

40.00 lot of sec. port from which  
 an Ash 4 in. dia. bears S 67° E 12 Mos. dist. &  
 an Elm 15 " " " N 42° W 21 " "

47.09 a Beech 20 " "

70.90 Intersect N. Boundary 153 Mos. N. of port -  
 lot port at intersection cor. of Sec. 2 & 3 from which  
 a Sugar 8 in. dia. bears S 68° E 3 Mos. dist. &  
 a Do 10 " " " N 68° W 10 " "  
 Land timber same as last described.

---

North between Sec. 33 &amp; 34

13.31 a Walnut 27 in. dia.

40.00 lot of sec. port from which  
 a Poplar 6 in. dia. bears S 88° E 23 Mos. dist. &  
 a Beech 20 " " " N 79° W 47 " "

53.57 a Sugar 18 " "

80.00 lot port cor. of Sec. 27, 28, 33 & 34 from which  
 a B. Ash 24 in. dia. bears S 10° E 15 Mos. dist. &  
 a R. Oak 24 " " " N 68° W 21 " "  
 Soil good 2<sup>d</sup> rate farming land, timber  
 Walnut, Sugar, Lyrus, W. Oak & Ulp.  
 Spice &c.

---

East on Raudon between Sec. 27 &amp; 34

40.00 lot temp. of sec. port

79.20 Intersect N. &amp; S. line 120 Mos. N. of port -

Soil good 2<sup>d</sup> rate farming land, timber  
 Sugar, Beech, Poplar, Ulp. Spice &c.

---

T. 18 N., R. 8 W. 2<sup>d</sup> Mer. Ind.

Ch. Cr.

West Connected between Sec. 27 & 34

39.60 set g. sec. post at aver. dist. from which  
an Elm 36 in. dia. bears N 75 W 9 lbs. dist. 8  
a Hornbeam 4 " " S 5 E 5 " "  
79.20 to sec. cor.

North between Sec. 27 & 28

8.50 an Ash 24 in. dia.  
40.00 set g. sec. post from which  
a W. Walnut 20 in. dia. bears N 23 E 10 lbs. dist. 8  
a Hornbeam 4 " " N 47 W 6 " "  
54.37 a W. Walnut 18 " "  
66.00 a Stream 10 lbs. wide course W  
80.00 set post cor. of sec. 21, 22, 27 & 28 from which  
a Sugar 20 in. dia. bears S 1 W 9 lbs. dist. 8  
a Do 15 " " S 8 E 19 " "  
Willy D. rate good farming land, timber  
Beech, Walnut, Sugar, Upr. Spice &c.

East on Random between Sec. 22 & 27

40.00 set temp. g. sec. post.  
79.56 Intersect N. & S. line 12 lbs. N. of post—  
Level good D. rate farming land, timber  
Beech, Sugar Ash, Walnut &c. Upr. Spice &c.

West Connected between Sec. 22 & 27

39.78 set g. sec. post at aver. dist. from which  
an Ironwood 4 in. dia. bears S 2 W 6 lbs. dist. 8  
a Beech 30 " " N 70 E 41 " "  
79.56 to sec. cor.

North between Sec. 21 & 22 Aug. 4. 1820

10.25 a Stream 50 lbs. wide course SW.  
22.55 a Walnut 22 in. dia.  
40.00 set g. sec. post from which  
a Beech 24 in. dia. bears S 61 E 24 lbs. dist. 8



T. 18 N., R. 8 W. 2<sup>d</sup>. Mer. Ind. Co.  
Chs. Co.,

a Hickory 24 in. dia. bears N 78° W 25 Vks. dist.  
65.12 an Ash 12 " "  
80.00 set post cor. of Sec. 15, 16, 21 & 22 from which  
a Beech 20 in. dia. bears N 45° E 16 Vks. dist. 8  
an Ash 12 " " " S 6° W 20 " "  
Level good 2<sup>d</sup> rate farming land, timber  
Beech, Sugar, Walnut, W. Oak & Upr. Spice

---

East on Random between Sec. 15 & 22

40.00 set temp. gr. sec. post  
50.00 Mill Creek 45 Vks. wide course S W  
79.30 Intersect N & S. line at post—  
Level good 2<sup>d</sup> rate farming land, timber  
Sugar, Beech, W. Oak, Ash & Upr. Spice &c.

---

West connected between Sec. 15 & 22

39.65 set gr. sec. post at aver. dist. from which  
an Ironwood 5 in. dia. bears S 20° E 13 Vks. dist. 3  
an Ash 20 " " " N 85° W 21 " "  
79.30 to sec. cor.

---

North between Sec. 15 & 16

15.25 a Poplar 30 in. dia.  
40.00 set gr. sec. post from which  
a R. Oak 6 in. dia. bears N 58° E 11 Vks. dist. 5  
a W. Oak 6 " " " S 72° W 11 " "  
45.84 a Beech 18 " "  
80.00 set post cor. of Sec. 9, 10, 15 & 16 from which  
an Ash 14 in. dia. bears S 18° E 8 Vks. dist. 3  
a Do 5 " " " N 72° W 12 " "  
Land level 2<sup>d</sup> rate inclined to wet,  
timber Hickory, Elm, Beech, Linden &  
Upr. Hornbeam

---

East on Random between Sec. 10 & 15

14.50 to a pond near its South end, North 2 Chs.



T. 18 N., R. 8 W. 2<sup>d</sup>. Mer. Ind. &  
Cor. L.P.

40.00 set temp. gr. sec. port

79.00 Intersect N. & S. line 44 W. N. of port—  
Level good farming land, timber Sugar,  
R. Oak, Walnut, Ash & Ulp. Ash &

West Corrected between Sect. 10 & 15

39.50 set gr. sec. port at aver. dist. from which  
an Elm 24 in. dia. bears N 45° W 13 W. dist. 8

a Hickory 27 " " " S 10° E 17 " "

79.00 to sec. cor.

North between Sect. 9 & 10

14.25 at N. Oak 18 in. dia.

40.00 set gr. sec. port from which

an Elm 30 in. dia. bears N 87° W 13 W. dist.

a Hickory 20 " " " S 50° E 20 " "

80.00 set port cor. of sect. 3, 4, 9 & 10 from which

at N. Oak 30 in. dia. bears N 74° W 49 W. dist. 8

a Walnut 15 " " " S 84° E 56 " "

Level good 2<sup>d</sup> rate farming land, timber W.  
Oak, Beech, Ash, Hickory & Ulp. Spice &

East on Random between Sect. 3 & 10

40.00 set temp. gr. sec. port

79.68 Intersect N. & S. line 70 W. N. of port—

Level good 2<sup>d</sup> rate farming land, timber

Ash, W. Oak, Hickory, R. Oak & Ulp.

Spice &

West Corrected between Sect. 3 & 10

39.84 set gr. sec. port at aver. dist. from which

an Elm 20 in. dia. bears S 9° E 10 W. dist. 8

a Do 15 " " " S 67° E 21 " "

79.68 to sec. cor.

North between Sect. 3 & 4

## T. 18 N., R. 8 W. 2. Mer. Ind.?

Ch. Lk.

- 19.80 a Stream 50 lbs. wide course W.  
 40.00 Set q. sec. post from which  
 a Cottonwood 30 in. diam. bears N 64 E 33 lbs. dist. 8  
 a Do 5 " " " N 42 W 38 " "  
 69.82 Intersect N. Boundary 200 lbs. W. of post—  
 Set post at intersection cor. of sec. 3 set from  
 which a W. Oak 30 in. diam. bears S 79 E 12 lbs. dist.  
 & a Beech 8 " " " N 25 W 19 " "  
 Level good farming land, 2<sup>d</sup> rate, timber  
 W. Oak, Beech, Sugar & Upr. Spruce &
- 

North between Sect. 32 &amp; 33 Aug. 5. 1820

- 15.72 a W. Oak 30 in. diam.  
 37.50 a Stream 4 lbs. wide course SW.  
 40.00 Set q. sec. post from which  
 a W. Oak 15 in. diam. bears S 62 W 6 lbs. dist. 8  
 a Sugar 8 " " " N 20 E 12 " "  
 54.72 a W. Oak 24 " "  
 76.30 Mill Creek 60 lbs. wide course NW  
 80.00 Set post cor. of Sect. 28, 29, 32 & 33 from which  
 a Redbud 4 in. diam. bears N 81 W 3 lbs. dist. 8  
 an Elm 20 " " " N 48 E 8 " "  
 Hilly 2<sup>d</sup> rate good farming land, timber  
 Beech, Sugar, Poplar & Upr. Spruce &
- 

East on Random between Sect. 28 &amp; 33

- 35.00 Mill Creek 60 lbs. wide course SW  
 40.00 Set temp. q. sec. post in stream 12 lbs. wide  
 course SW.  
 46.62 a Stream 10 lbs. wide course NW  
 79.32 Intersect N. & S. line 73 lbs. S. of post—  
 Land first half mile level 1<sup>st</sup> rate, last  
 1/2 mile hilly 2<sup>d</sup> rate, timber Walnut,  
 Poplar, Beech, Sugar & Upr. Spruce &
- 

West corrected between Sect. 28 &amp; 33

## T. 18 N., R. 8 W. 2. Sec. Ind.

Chas. E. E.

39.66 set gr. sec. post at aver. dist. from which  
 an Elm 27 in. dia. bears S 18 E 6 lbs. dist. 8  
 a Walnut 10 " " " N 3 E 42 " "  
 79.32 to sec. cor.

## North between Sect. 28 &amp; 29

19.36 a Sugar 18 in. dia.

40.00 set gr. sec. post from which  
 a Sugar 15 in. dia. bears S 64 E 21 lbs. dist. 8  
 a Do 12 " " " N 68 W 31 " "

47.75 a Stream 8 lbs. wide course SW

53.70 a W. Oak 36 in. dia.

80.00 set post cor. of Sect. 20, 21, 28 & 29 from which  
 a Hickory 15 in. dia. bears N 69 W 7 lbs. dist. 8  
 an Ash 10 " " " N 75 E 11 " "  
 Hilley 2<sup>nd</sup> rate, timber W. Oak, Poplar, Beech,  
 Sugar & Upr. Spruce &c.

## East on Random between Sect. 21 &amp; 28

40.00 set temp. gr. sec. post

77.80 Mill Creek 50 lbs. wide course S.

79.00 Intersect N. &amp; S. line at post

Land level 2<sup>nd</sup> rate, timber W. Oak, Poplar, Sugar,  
 Beech & Upr. Ironwood

## West Corrected between Sect. 21 &amp; 28

39.50 set gr. sec. post at aver. dist. from which

a Sugar 15 in. dia. bears N 32 E 28 lbs. dist. 8

a Do 18 " " " S 59 W 37 " "

79.00 to sec. cor.

## North between Sect. 20 &amp; 21

15.75 a W. Oak 27 in. dia.

40.00 set gr. sec. post from which

a Beech 15 in. dia. bears N 44 E 23 lbs. dist. 8

a Sugar 10 " " " S 64 W 31 " "

T. 18 N., R. 8 W. 2<sup>d</sup> Mer. Ind.<sup>a</sup>Chp. 1<sup>st</sup>

68.48 a Beech 18 in. dia.

80.00 set post cor. of sect. 16, 17, 20 & 21 from which  
a Sugar 20 in. dia. bears N 65 E 26 hrs. dist. 8  
a Beech 20 " " " S 65 W 30 " "Level good 2<sup>d</sup> rate farming land, timber Beech,  
Sugar, W. R. Oak & Upr. Spruce

East on Random between Sect. 16 &amp; 21

40.00 set temp. gr. sec. post

78.96 Intersect N. S. line 5 hrs. S. of post -

Land level 2<sup>d</sup> rate, timber W. Oak, Elm, Ash,  
Beech & Upr. B. Ash &

West Connected between Sect. 16 &amp; 21

39.48 set gr. sec. post at aver. dist. from which  
a Sugar 18 in. dia. bears S 40 E 19 hrs. dist. 8  
a Linn 10 " " " N 21 E 45 " "

78.96 to sec. cor.

North between Sect. 16 &amp; 17

20.32 a Sugar 10 in. dia.

40.00 set gr. sec. post from which

a Hickory 12 in. dia. bears S 60 E 12 hrs. dist. 8  
a Do 10 " " " N 81 W 17 " "

61.90 an Elm 15 " "

80.00 set post cor. of sect. 8, 9, 16 & 17 from which  
a W. Oak 36 in. dia. bears S 52 E 15 hrs. dist. 8  
a Beech 8 " " " N 74 W 14 " "Land level 2<sup>d</sup> rate, timber Oak, Sugar, Ash,  
Linn & Upr. Spruce &

East on Random between Sect. 9 &amp; 16

40.00 set temp. gr. sec. post

79.30 Intersect N. S. line 20 hrs. S. of post -

Level good 2<sup>d</sup> rate land, timber Oak, Sugar, Ash,  
Oak, Hickory & Upr. Ash &



## T. 18 N., R. 8 W. 2. Mer. Ind.?

Chp. 1st.

West Corrected between Sec. 9 &amp; 10

39.05 set of sec. port at aver. dist. from which  
 a B. Ash 10 in. dis. bears N 82 E 12 W. dist. 8  
 a Do 10 " " " S 30 W 21 " "  
 79.30 to sec. cor.

North between Sec. 8 &amp; 9

5.00 a Stream 6 Ws. wide course NW  
 20.27 a Beech 24 in. dis.  
 32.00 a Stream 8 Ws. wide course W  
 40.00 set of sec. port from which  
 a Sassafras 4 in. dis. bears N 40 E 13 W. dist. 8  
 an Ash 10 " " " S 12 E 28 " "  
 51.05 a W. Oak 24 " "  
 80.00 set port cor. of sec. 4 & 5, 8 & 9 from which  
 a W. Oak 20 in. dis. bears S 56 E 23 W. dist. 8  
 a Beech 12 " " " N 79 W 24 " "  
 Land timber same as last described.

East on Random between Sec. 4 &amp; 9

40.00 set temp. of sec. port  
 79.10 Intersect N & S. line at port—  
 Level good 2 rate farming land, timber  
 W. Ash, Poplar, Sugar, & W. Dogwood &c.

West Corrected between Sec. 4 &amp; 9

39.55 set of sec. port at aver. dist. from which  
 a Sugar 10 in. dis. bears N 33 W 15 W. dist. 8  
 a Beech 12 " " " S 31 E 39 " "  
 79.10 to sec. cor.

~~East on Random between Sec. 4 & 9~~

~~40.00 set temp. of sec. port  
 79.10 Intersect N & S. line at port—~~

North between Sec. 4 &amp; 5



T. 18 N., R. 8 W. 2<sup>d</sup>. Mer. Ind. <sup>a</sup>

Chs. Lk.

11.00 a Hickory 12 in. dia.

24.50 a Stream 50 yds. wide course NW.

27.00 a Do 50 " " " NE

30.32 a Do 50 " " " NW

40.00 cut of sec. part from which

a Lycamore 24 in. dia. bears S 53° W 19 yds. dist. &amp;

a Do 12 " " " S 11° E 50 " "

69.66 Intersect N. Boundary 250 yds. N. of part -  
set part at intersection cor. of sec. 4 & 5 from which

a W. Oak 18 in. dia. bears N 74° W 34 yds. dist. &amp;

an Ash 8 " " " S 83° E 30 " "

Land level 2<sup>d</sup> rate, timber W. Oak, Lycamore,  
Walnut, Hickory & Upr. Spice &

## North between Sec. 31 &amp; 32 Aug. 7. 1820

29.36 a Sugar 18 in. dia.

40.00 cut of sec. part from which

a Beech 24 in. dia. bears N 35° W 24 yds. dist. &amp;

a Hickory 6 " " " S 80° E 22 " "

47.83 a Sugar 24 " "

80.00 cut part cor. of sec. 29, 30, 31 &amp; 32 from which

a Sugar 12 in. dia. bears N 76° E 13 yds. dist. &amp;

a Beech 18 " " " N 56° W 16 " "

Land good 2<sup>d</sup> rate farming land, timber Sugar,  
Beech, W. Oak, Hickory & Upr. Spice &

## East on Random between Sec. 29 &amp; 32

40.00 cut temp. of sec. part

40.00 Mill Creek 60 yds. wide course SE

68.00 Do 60 " " " NW

70.90 Do 60 " " " SE

78.70 Do 60 " " " NW

79.74 Intersect N. S. line 44 yds. N. of part -

Land hilly 2<sup>d</sup> rate, timber Beech, Wal-  
nut, Sugar, W. Oak & Upr. Spice &

T. 18 N., R. 8 W. 2. Mer. Ind.<sup>a</sup>  
 Chs. Lks.

West corrected between Sec. 29 & 32

39.87 set q. sec. post at aver. dist. from which  
 a W. Oak 4 in. dia. bears N 53 W 13 lks. dist. 2  
 a Hackberry 12 " " S 53 E 35 " "  
 79.74 to sec. cor.

West between Sec. 30 & 31

30.25 a Stream 6 lks. wide course W.

40.00 set q. sec. post from which  
 a Sugar 10 in. dia. bears N 4 W 11 lks. dist. 2  
 a Beech 15 " " S 24 E 27 " "

80.92 Intersect W. Boundary 80 lks. N. of post -  
 set post at intersection cor. of sec. 30 & 31 from which  
 a Beech 15 in. dia. bears S 24 W 14 lks. dist. 2  
 a Do 10 " " N 34 E 13 " "  
 Land hilly 2<sup>d</sup> rate, timber W. Oak, Poplar,  
 Beech, Sugar & Alf. Sagwood &c.

North between Sec. 29 & 30

18.79 a Beech 18 in. dia.

40.00 set q. sec. post from which  
 a Hickory 18 in. dia. bears N 61 E 14 lks. dist.  
 a Beech 18 " " N 60 W 19 " "

51.18 a Stream 10 lks. wide course W.

50.65 a Beech 18 in. dia.

80.00 set post cor. of sec. 19, 20, 29 & 30 from which  
 a Beech 18 in. dia. bears N 17 W 21 lks. dist. 2  
 a Do 15 " " S 52 E 19 " "  
 Level good 2<sup>d</sup> rate farming land, timber  
 Beech, Sugar, W. Oak, Hickory & Alf. Spruce &c.

East on Random between Sec. 20 & 29

40.00 set temp. q. sec. post

79.00 Intersect N. S. line 60 lks. N. of post -  
 Level good 2<sup>d</sup> rate farming land, timber  
 Beech, Sugar, Hickory, W. Oak & Alf. Ash &c.

T. 18 N., R. 8 W. 2<sup>d</sup> Mer. Ind.<sup>a</sup>

Chs. Eps.

West Connected between Sec. 20 &amp; 29

39.50 set gr. sec. post at aver. dist. from which  
 a Beech 15 in. dia. bears N 55 E 30 kts. dist. 8  
 a R. Oak 36 " " " S 82 W 24 " "  
 79.00 to sec. cor.

West between Sec. 19 &amp; 30

40.00 set gr. sec. post from which  
 a Beech 15 in. dia. bears S 73 E 13 kts. dist. 8  
 a Do 15 " " " N 33 W 25 " "  
 61.00 a Stream 12 kts. wide course NW  
 79.80 Intersect W. Boundary 238 kts. N. of post -  
 set post at intersection cor. of sec. 19 & 30 from  
 which a W. Oak 30 in. dia. bears N 43 E 9 kts. dist. 8  
 a Beech 10 " " " S 43 W 16 " "  
 Land T.  $\frac{1}{2}$  mile level, last  $\frac{1}{2}$  mile hilly  
 2<sup>d</sup> rate, timber Beech, Sugar, W. Oak, Hickory  
 & Upl. Ironwood &

North between Sec. 19 &amp; 20

20.50 a R. Oak 36 in. dia.  
 40.00 set gr. sec. post from which  
 a Hickory 18 in. dia. bears N 24 E 23 kts. dist. 8  
 a Beech 20 " " " S 14 W 46 " "  
 54.27 a Stream 14 kts. wide course W  
 67.00 a W. Oak 48 in. dia.  
 80.00 set post cor. of sec. 17, 18, 19 & 20 from which  
 a Beech 18 in. dia. bears S 74 W 42 kts. dist. 8  
 a W. Oak 18 " " " S 66 E 46 " "  
 Land Level good 2<sup>d</sup> rate farming land, timber  
 Beech, Sugar, W. Oak, Ash & Upl. Spice &

East on Raudon between Sec. 17 &amp; 20

40.00 set temp. gr. sec. post  
 78.96 Intersect N. S. line 50 kts. N. of post -  
 Level good 2<sup>d</sup> rate farming land, timber Beech,

T. 18 N., R. 8 W. 2. Mer. Ind.<sup>a</sup>  
Ch. Sh.

Hickory, Ash, Sugar & Upr. Spice &c

West Connected between Sec. 17 & 20

39.48 set g. sec. post at aver. dist. from which  
a Beech 15 in. dia. bears S 81° W 17 W. dist. 23  
a W. Oak 5 " " S 12° E 22 " "

78.96 to sec. cor.

West between Sec. 18 & 19 Aug. 8. 1820

24.50 a Stream 15 W. wide course SW

34.41 crossed stream 4 W. wide course NW

40.00 set g. sec. post from which

a Sugar 18 in. dia. bears N 79° W 6 W. dist. 8

a Hickory 18 " " S 40° E 19 " "

66.00 a Stream 20 W. wide course SW

79.84 Intersect W. Boundary 362 W. N. of post—  
where a Dogwood 3 in. dia. stands for cor. of sec.  
18 & 19 from which

a Sugar 10 in. dia. bears N 69° W 14 W. dist. 8

(No other Bearing)

Land hilly 2<sup>d</sup> rate, timber W. Oak, Hickory,  
Beech, Sugar & Upr. Ironwood &c

North between Sec. 17 & 18 Aug. 9. 1820

9.00 a Stream 19 W. wide course W.

27.20 an Elm 30 in. dia.

40.00 set g. sec. post from which

a Beech 6 in. dia. bears N 86° W 5 W. dist. 8

a Do 12 " " S 70° E 26 " "

56.59 a Do 10 " "

76.10 a Stream 8 W. wide course NW

80.00 set post cor. of sec. 7, 8, 17 & 18 from which

a W. Oak 24 in. dia. bears S 9° W 19 W. dist. 8

a Do 20 " " N 00° E 21 " "

Level good 2<sup>d</sup> rate farming land, timber  
W. Oak, Beech, Ash, Sugar & Upr. Spice &c





T. 18 N., R. 8 W. 2. Mer. Ind.<sup>a</sup>  
 Chas. Sp.

a Beech 15 in. diam bears N 75 W 38 lbs. dirt.  
 Sand hilly 2<sup>d</sup> rate, timber Beech, Sugar, Ash,  
 Walnut & Upr. Spice &c.

East on Raudem between Sec. 5 & 8

32.00 a Stream 50 lbs. wide course S W.  
 40.00 set temp. g. sec. post in S. bank of stream  
 42.75 came out of creek on same side  
 79.00 Intersect N. & S. line 7 lbs. S. of post—  
 Sand hilly 2<sup>d</sup> rate, timber W. Oak, Beech,  
 Walnut, Ash & Upr. Spice &c.

West Corrected between Sec. 5 & 8

39.50 set g. sec. post at aver. dirt. from which  
 a Sycamore 6 in. diam bears N 45 E 17 lbs. dirt. &  
 a W. Walnut 5 " " " S 80 W 27 " "  
 79.00 to sec. cor.

West between Sec. 6 & 7

40.00 set g. sec. post from which  
 a Beech 20 in. diam bears N 37 W 22 lbs. dirt. &  
 a Sugar 12 " " " S 81 W 19 " "  
 76.18 Coal Creek 132 lbs. wide course S W. rapid  
 79.14 Intersect W. Boundary 250 lbs. N. of post—  
 Creek where Township line crosses same—  
 corner not found, suppose in Creek—  
 set post at intersection cor. of sec. 6 & 7 from  
 which a Sugar 20 in. diam bears N 38 E 8 lbs. dirt. &  
 a W. Oak 30 " " " N 80 W 9 " "  
 Sand level 1<sup>st</sup> rate, timber Walnut,  
 Sugar, Ash, Poplar & Upr. Spice &c.

North between Sec. 5 & 6

12.38 a W. Oak 30 in. diam.  
 40.00 set g. sec. post from which  
 a Beech 10 in. diam bears S 53 E 25 lbs. dirt. &

T. 18 N., R. 8 W. 2<sup>d</sup> Mer. Ind.?

Clerk. Sp.

a Sugar 12 in. diameter N 68 W 27 lbs. dist.  
 62.77 at Beech 18, ,  
 68.77 Intersect N. Boundary 180 lbs. W. of post-  
 set post at intersection cor. of sec. 5 & 6 from which  
 a Sugar 10 in. diameter S 81 W 5 lbs. dist. &  
 an Elm 27, , , S 70 E 32, ,  
 Land hilly 2<sup>d</sup> rate, timber Beech, Sugar,  
 W. Oak & Upr. Spice &

Note. In the N.E. quarter of Sec. 28  
 there is a fall of about 15 feet in the creek,  
 which at this time being exceedingly dry weath-  
 er and the waters generally low, there is not  
 sufficient water to be of advantage in  
 water works, but from appearances and the  
 face of the country I suppose there will be  
 water to drive a mill the principal part  
 of the year. From this seat, as there is  
 no name to the creek, I have noted it  
 Mill Creek,

William Polke  
 Dep. Surveyor.

I certify that the foregoing transcript  
 of Field Notes of the Survey of Township N.  
 18 North, in Range N. 8 West of the 2<sup>d</sup>  
 Principal Meridian, in the State of Indiana,  
 has been compared with the original on  
 file in this office, and found to be correct,  
 Surveyor General's Office,  
 Cincinnati, Aug. 19, 1844

William Johnston  
 Secy. Genl.